



Pressed Double Black (PW) 18x10.5J 15

VOLK RACING 21A spec-PW

A darker atmosphere distinct from standard models.

Spec

Product Name	21A spec-PW
Size	18inch
Construction Method	Forged 1pc. wheel
Safety Standards	JWL+R Spec 2
Color	Pressed Double Black (PW)
Included	No.53 INSIDE AIR VALVE RAYS BK

Optional Parts

No.4 VR CAP MODEL-01 LOW BK/SL、 No.57 VR Center Cap Model-01 HI BK/SL

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	RIM	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE	CALIPER CLEARANCE	Load (lbs)
								PW COLOR		
18x8.5J	F1	S	34(28)	5	100	65	29-15	107,000	▼	1,543
					114.3	73.1			η▼▼θ■▵#▲γΩΣ≡	
18x9J	F1	M	30(26)	5	100	65	29-15	108,000	▼	1,543
	F2		20(28)		114.3	73.1			η▼▼θ■▵#△□▲αβγ○●Ω☆★Σ≡	
18x9.5J	F2	M	20(34)	5	114.3	73.1	29-15	109,000	η▼▼θ■▵#△□▲αβγ○●Ω☆★Σ≡	1,543
		L	0(29)						BMW M3(E92,F80)Fr,M4(F82)Fr.	
		M	22(32)		120	72.6				
18x10J	F3	LL	-25(25)	5	100	65	29-15	110,000	▼	1,543
18x10.5J	F2	L	15(26)	5	114.3	73.1	29-15	111,000	η▼▼θ■▵#△□▲αβγ○●Ω☆★Σ≡	1,543
	F3		0(31)						▼▼θη■▵◎#△▲□αβγ○●Ω☆★Σ◆≡	
	LL	-25(31)	η▼▼θ■▵◎#△□▲αβγ○●Ω☆★Σ?≡							
	F2	L	22(19)		120	72.6			BMW M3(E92,F80)Rr,M4(F82)Rr.	
18x11J	F3	LLL	-30(30)	5	100	65	29-15	112,000	▼ψ	1,543
		LL	-10(22)		114.3	73.1			η▼▼θ■▵#△□▲αβγ○●Ω★≡	
		LLL	-30(30)						η▼▼θ■▵◎#△□▲αβγ○●Ω☆★Σ?≡	

Caution

- S rim=39mm, M rim=46mm, L rim=71mm, LL rim=97mm, LLL rim=110mm

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

Θ : WRX STI (4POT)

η : WRX STI (6POT)

§ : GR86/BRZ(ZN8/ZC8)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

⌵ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)

● : FAIRLADY Z (Z34, RZ34 ※except NISMO)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.