



Bronze (Almite) (BR)



The latest of the lightest

Spec

Product Name	CE28N 10 SPOKE DESIGN
Size	16inch/18inch
Construction Method	Forged 1pc. Wheel
Safety Standards	JWL+R Spec 2
Color	Bronze (Almite) (BR)
Included	No.49 EUROPEAN ALUMINUM VALVE RAYS BK

Optional Parts

No.58 RAYS CAP O-Ring HI、No.59 RAYS CAP HI (Resin)、No.60 VR FLAT Small O-Ring CAP BR、No.61 VR FLAT O-Ring CAP BR

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE	CALIPER CLEARANCE	Load (lbs)
						BR COLOR		
16x7J	42(16)	5	114.3	73.1	29-13	69,000	-	1521
16x7.5J	35	5	114.3	73.1	-	70,000	SWIFT SPORT(ZC33S, ZC32S)Fr	1521
18x8.5J	30(30)	5	114.3	73.1	29-13	100,000	▽Θη■∠◎#△○☆≡	1543

Caution

※Hub clearance is the measurement to the center cap. Measurements will differ depending on the center cap used.

※Cannot fit 14mm bolt.

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

⌵ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

▢ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.