



VOLK RACING
O R I G I N A L **CE28N-plus SL**



Pressed Graphite(PG)

Further Refined Performance and Beauty – The CE28N-plus SL Debuts!

Spec

Product Name	CE28N-plus SL
Size	17inch/18inch
Construction Method	Forged 1pc. wheel Knurling finish
Safety Standards	JWL+R Spec 2
Color	Pressed Graphite(PG)
Included	Spoke Stickers (2pcs)、Rim Sticker No.51 EUROPEAN ALUMINUM VALVE RAYS RD

Optional Parts

No.51 VR CAP MODEL-01 LOW MM、 No.54 VR CAP MODEL-01 HI MM、 Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE	CALIPER CLEARANCE	DISK PROTRUSIO N (mm)	Load (lbs)
							PG COLOR			
17x7J	F1	44(25)	4	100	65	29-15	93,000	-	7.2	1,168
17x7.5J	F1	35(28)	4	98	65	29-15	94,000	FIAT ABARTH595(312141),ABARTH500(312141)	7.2	1,168
		37(39)		100				ψ		
		43(33)	5		112	66.6		32-15		▼\$
		38(38)		114.3						73.1
		47(29)			▽θ#					
		43(33)		▽θ■#▲						
		37(39)		▽θ■#▲γΩΣ						
		17x8J		F1	43(26)	4		100		65
F2	33(25)		ABARTH 124Spider(NF2EK)	-						
F1	43(28)		5	114.3	73.1	32-15	▼\$	7.2	1,587	
F2	37(34)						▽θ■#▲γΩ	-		
17x8.5J	F2	39(25)	4	100	65	29-15	96,000	ψ	-	1,168
		44(33)						▼\$		
		43(34)	112	66.6	32-15	VW GOLF V (GTI/R32含む),VI(R含む),VII(GTI/R含む),VIII(R含む)				
		39(25)				114.3		73.1		▽θη■#▲γΩΣ
		29(35)	▽θη■#▲γΩΣ■							
		35(29)	120	72.6	BMW M3(E46)					

17x9J	F2	44(40)	5	100	65	29-15	97,000	▼\$	-	1,587
	F3	37(34)		114.3	73.1	32-15		▽θ■#▲γΩ	7.2	
	F1	60(35)						▽θη■#▲γΩΣ≡	-	
	F2	44(40)						▽θη■#▲γΩ≡		
	F3	37(34)						▽θη■∟#△○Σ≡		
		21(34)								
17x9.5J	F2	44(33)	5	100	65	29-15	98,000	▼\$	-	1,587
	F1	62(39)		114.3	73.1	32-15		▽θ■#▲□γΩΣ	7.2	
	F2	39(38)						▽θη■∟#▲γΩΣ≡	-	
	F3	34(27)						▽θη■∟#▲γ○Σ≡		
		17(44)						▽θη■∟#△○☆≡		
17x10J	F3	49(31)	5	114.3	73.1	32-15	99,000	▽θη■#▲γΩ≡	-	1,587
		43(37)						▽θη■∟#▲γΩΣ≡		
		37(30)								

18x7.5J	F1	47(22)	5	100	65	29-15	102,000	▼§	6.9	1,543
		42(27)		112	66.6	32-15		MINI JCW(F56)		
		47(22)		114.3	73.1			η▽θ⊲≡		
18x8J	F2	44(21)	5	100	65	29-15	103,000	§	-	1,543
				108	73.1			VOLVO XC40(XB),LAND ROVER RANGE ROVER EVOQUE(LZ), LAND ROVER DISCOVERY SPORT(LC2)		
				112	66.6	32-15		AUDI A3(8V),A4(8K),VW GOLF (V/VI/VII/VIII)		
				114.3	73.1			ηθ⊲≡		

18x8.5J	F2	44(27)	5	100	65	29-15	104,000	▼ §	-	1,543		
				112	66.6	32-15		AUDI A3(8V),A4(8K),VW GOLF (V/VI/VII/VIII)				
				114.3	73.1			η▽θ■∠#△○☆■				
											29(27)	
18x9J	F2	51(26)	5	100	65	29-15	105,000	▼ §	-	1,543		
		39(38)		112	66.6	32-15		AUDI TT(8J),RS3(8V),VW GOLF (V/VI/VII/VIII)				
		37(25)						η▽θ■∠#▲■			6.9	
	F1	62(26)		114.3	73.1			32-15	η▽θ■∠#△○☆■		-	
	F2	44(33)				η▽θ■∠#△○☆■						
	F3	32(25)				η▽θ■∠#△○■						
18x9.5J	F3	40(24)	5	100	65	29-15	106,000	▼ §	-	1,543		
	F4	21(33)		112	66.6	AUDI S5(F5),BMW Z4(G29)Fr,TOYOTA GR SUPRA(DB)Fr						
	F2	44(25)		114.3	73.1	32-15		η▽θ■∠#△○☆■				
		39(30)						η▽θ■∠#△○★■				
	F3	37(27)						η▽θ■∠#△○☆◇■				
	F4	21(33)						120			72.6	HONDA CIVIC TYPE R(FK8,FL5)
		11(30)		HONDA CIVIC TYPE R(FK8*,FL5*)								
	F2	52(17)		107,000	η▽θ■∠◎#△○★◇■	-						1,543
		44(25)			η▽θ■∠◎#△○☆◇■							
	F3	37(27)										
18x10J	F3	39(31)	5		114.3	73.1	32-15	107,000	η▽θ■∠◎#△○★◇■	-	1,543	
	F4	11(36)		η▽θ■∠◎#△○☆◇■								
18x10.5J	F4	33(33)	5	112	66.6	32-15	108,000	BMW Z4(G29)Rr. TOYOTA GR SUPRA(DB)Rr.	-	1,543		
		21(45)		114.3	73.1			η▽θ■∠◎#△○☆◇■				
		14(39)										

18x11J	F4	33(41)	5	112	66.6	32-15	109,000	BMW Z4(G29)Rr,TOYOTA GR SUPRA(DB)Rr	-	1,543
		14(46)		114.3	73.1			η▽θ■∠◎#△○☆◇≡		

Caution

[CALIPER CLEARANCE]

▼：IMPREZA (GDB 4POT)

▽：IMPREZA (GDB & GRB 4POT)

Θ：WRX STI (4POT)

η：WRX STI (6POT)

§：GR86/BRZ Brembo(ZN8/ZC8)

■：IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠：IS-F

◎：RC-F

#：SILVIA (S15)

△：SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲：SKYLINE (R34 GT-R)

□：SKYLINE (CKV36, HV37, RV37/400R)

α：SKYLINE (CKV36, HV37), FUGA(Y51)

β：SKYLINE (HV37)

γ：SKYLINE (CPV35)

○：FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)

●：FAIRLADY Z (Z34, RZ34 ※except NISMO)

Ω：FAIRLADY Z (Z33)

☆：LANCER EVO.(VII～IX, X)

★：LANCER EVO.X

Σ：LANCER EVO.(VII～IX)

◆：GT-R (R35/φ380 rotor)

◇：GT-R (R35/φ380, φ390 rotor)

≡：GR YARIS (RZ)

Ψ：ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.