



Deep Titan Silver(DTS) (18x9.5J)

FDJ2

MID RACING R26

2×6 spoke design with Racing Shape

Spec

Product Name	MID RACING R26
Size	15inch / 16inch / 17inch / 18inch
Construction Method	Cast flow-formed 1-piece wheel
Safety Standards	JWL VIA compliant (6H-139.7 size: JWL(800KG)JWL-T(955KG)VIA compliant)
Color	Crystal Black(CBK) Deep Titan Silver(DTS)
Included	Center cap Air valve Rim sticker (included)
Optional	Center cap ¥ 3,000 Air valve ¥ 800 Rim sticker ¥ 1,000 MID Parts Kit : No.3 ¥8,000: M14X1.5 L26 17HEX BOLT 20 pcs, 1 long adapter No.4 ¥ 12,000: M14X1.5 L26 17HEX BOLT 20 pcs, long adapter 1 pc, hub ring φ66.6-φ57.1 4 pcs No.5 ¥ 8,000: M14X1.25 L28 17HEX BOLT 20 pcs, long adapter 1 pc



Deep Titan Silver(DTS) (18x8J 6H)



Crystal Black(CBK) (18x9.5J)

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE		DISK PROTRUSIO N (mm)	Load (lbs)
						CBK COLOR	DTS COLOR		
15x5J	45(40)	4	100	67.1	29-13	33,000	-	10.4	1,105
16x6J	43(42)	4	100	67.1	29-13	40,000	42,000	11.9	1,168
16x6.5J	38(34)	6	139.7	106.1	29-13	41,000	-	-	2,105
17x7J	45(46)	4	100	67.1	29-13	43,000	-	7.7	1,168
	48(43)	5					45,000		1,190
									1,521
17x7.5J	48(43)	5	114.3	73.1	29-13	43,500	45,500	6.3	1,521
18x8J	45(43)	5	100	67.1	29-13	52,500	54,500	6.8	1,190
			114.3	73.1					1,521
18x8.5J	45(36)	5	100	67.1	29-13	53,000	55,000	4.8	1,190
			114.3	73.1					1,521
18x9.5J	12(47)	5	114.3	73.1	29-13	55,000	57,000	4.6	1,521
18x10.5J	12(45)	5	114.3	73.1	29-13	59,000	61,000	5.6	1,521
	22(35)								

Caution
TPMS compatible