



TE37
 SAGA S-plus

The new update “S-PLUS” driven by the destiny of TE37.

Spec

Product Name	TE37 SAGA S-plus
Size	15inch/17inch/18inch/19inch/20inch
Construction Method	Forged 1pc Wheel 17inch Reverse Rim Knurling finish
Safety Standards	JWL+R Spec 2
Color	Diamond Dark Gunmetal (MM) Bronze (Almite) (BR) ※Bronze color (Almite) may have uncolored areas besides the design surface. Thank you for your understanding.
Optional Color	OP-2: Extra ¥ 3,000 from MM color. HL color, IG color, MR color: Extra ¥ 4,000 SZ color, SI color, HM color: Extra ¥ 7,000 Dash White(DW)、Matte Black(MB)、Red(RE)、Diamond Black(DB)、MAG Blue(BL)、Black(BK)、Matte Gunbronze(MZ)、Matte Blue Gunmetal(GB)、Gunmetal(GM)、Gold(GO)、Diamond Silver(DS)、Dark Gunmetal(DG)、Hyper Blue(HL)、Racing Green(IG)、Metallic Red(MR)、Shining Light Metal(SI)、Shining Black Metal(HM)、Shining Bronze Metal(SZ)
Included	No.49 EUROPEAN ALUMINUM VALVE RAYS BK
Optional	Center Cap, Vehicle Specific Parts Set



Diamond Dark Gunmetal (MM) 20inch



Bronze (Almite) (BR) 18inch



Diamond Dark Gunmetal (MM) 18inch

The photo is a representative image. Please visit our website for other types of product images

Optional Parts

No.51 VR CAP MODEL-01 LOW MM、 No.53 VR CAP MODEL-01 LOW BR、 No.54 VR CAP MODEL-01 HI MM、 No.56 VR CAP MODEL-01 HI BR、
No.93 VR CAP MODEL-37 BR、 No.94 VR CAP MODEL-37 BK-Almite、 Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE		CALIPER CLEARANCE	DISK PROTRUSIO N (mm)	Load (kg)	Load (lbs)
							MM COLOR	BR COLOR				
15x7J	F 1	35(43)	4	100	65	29-13	60,000	65,000	HONDA CIVIC (EG6/EK4) SPOON CALIPER	3.73	-	1,102
	F 2	25(43)							HONDA CIVIC (EG6/EK4) SPOON CALIPER, MAZDA ROADSTER (ND) Brembo	0.47		
	F 1	35(43)	5	114.3	73.1	32-13			HONDA CIVIC (EK9) SPOON CALIPER	3.73		1,521
15x8J	F 3	35(34)	4	100	65	29-13	-	67,000	HONDA CIVIC (EG6/EK4) SPOON CALIPER	-	-	1,102
		25(43)							HONDA CIVIC (EG6/EK4) SPOON CALIPER, MAZDA ROADSTER (ND) Brembo			
		35(34)	5	114.3	73.1	32-13			HONDA CIVIC (EK9) SPOON CALIPER			1,521
17x7J	F 1	45(24)	4	100	65	29-15	86,000	90,000	-	3.44	-	1,168
17x7.5J	F 1	44(32)	5	100	65	29-15	87,000	91,000	▼	3.44	-	1,543
		38(31)	4						ψ			1,168
		48(28)	5	114.3	73.1	32-15			-			1,543
		44(32)							θ			
17x8J	F 2	38(27)	5	114.3	73.1	32-15	88,000	92,000	▽θ#▲	3.44	-	1,543
17x8.5J	F 2	45(26)	5	100	65	29-15	89,000	93,000	▼\$	-	-	1,543
17x9J	F 4	22(31)	5	114.3	73.1	32-15	90,000	94,000	▽θ#▲γΩ	-	-	1,543
18x7.5J	F 1	48(26)	5	100	65	29-15	95,000	99,000	-	1.7	-	1,543
				114.3	73.1	32-15			∠			
18x8J	F 1	45(28)	5	100	65	29-15	96,000	100,000	▼\$	1.7	-	1,543
				114.3	73.1	32-15			θη∠≡			
18x8.5J	F 2	45(21)	5	100	65	29-15	97,000	101,000	-	-	-	1,543
		42(25)		112	66.6	AUDI TT(8J),VW GOLF (V*/VI*/VII*/VIII*) ※includes R32/R						
	F 1	50(30)		114.3	73.1	32-15			▽θη■∠#▲≡	1.7		
	F 2	42(24)							θη■∠≡	-		
		35(31)							▽θη■∠#△○★≡			

18x9J	F 2	45(28)	5	114.3	73.1	32-15	98,000	102,000	▽Θη■▲#□▲●≡	-	-	1,543
	F 3	35(25)		120	72.6				HONDA CIVIC TYPE R (FK8, FL5*)			
	F 2	50(24)		100	65				▼\$			
18x9.5J	F 3	43(22)	5	114.3	73.1	32-15	99,000	103,000	Θη■▲≡	-	-	1,543
		45(21)							▽Θη■▲◎#△○★◆≡			
		38(28)							η▲◎●◆≡			
	F 4	30(21)							▽Θη■▲◎#□▲●★◆≡			
		22(24)							HONDA CIVIC TYPE R (FK8*, FL5*)			
	F 3	45(22)		120	72.6				BMW M2 Coupe(F87)Fr,M4 Coupe(F82)Fr,M3(E92)			
	F 4	20(26)										
18x10J	F 4	35(23)	5	114.3	73.1	32-15	100,000	104,000	η■▲◎□●◆≡	-	-	1,543
18x10.5J	F 4	24(35)	5	114.3	73.1	32-15	101,000	105,000	▽Θη■▲◎#△○☆◇≡	-	-	1,543
		15(44)							120			72.6
		30(29)										
18x11J	F 5	45(25)	5	114.3	73.1	32-15	102,000	106,000	▲◎◇◆≡	-	-	1,543
		13(45)							▽Θη■▲◎#△○☆◇≡			

19x8.5J	F1	45(32)	5	112	66.6	32-15	112,000	117,000	AUDI A3(8VC), A4(8E/8K) MINI CooperD/SD ALL4(F60), VW GOLF(V /VI/VII/VIII) ※includes R32,includes R(V /VI/VII/VIII) ※except VIII-R	1.02	-	1,797
	F2	38(23)							AUDI A3(8V), A4(8K) exceot 3.2FSI Quattro, MINI(F60)Cooper SD ALL4, except Cooper D, VW GOLF VIII R(AUCJXF),Golf VIII	-		
		22(33)										
	F1	42(35)							114.3	73.1		
	F2	38(23)		η▲≡	-							
		36(25)		120								
	F1	55(23)		130	71.6	32-R14						
									PORSCHE CAYMAN(981,987)Fr,PORSCHE BOXSTER(981,988)Fr,			
		50(28)							PORSCHE CAYMAN981 GT4 Fr.,BOXSTER(981)Fr			

19x9J	F1	35(32)	5	114.3	73.1	32-15	113,000	118,000	η▽▼θ■▣⊙#△□▲αβγ○●Ω☆★Σ◇◆≡	1.02	-	1,797							
	F3	23(29)		120	72.6				BMW M2(Competition 2U30)Fr,M2 Coupe(F87)Fr,M235i(F22)Fr,M235i Racing(F22)Fr	-									
	F2	46(28)		130	71.6				32-R14	PORSCHE 997GT3 RS Fr									
19x9.5J	F2	38(36)	5	112	66.6	32-15	114,000	119,000	BMW 3er.(G20)Rr	-	-	1,797							
	F3	25(22)							AUDI A5 8T/S5 bremba(1M1.9021A/2P1.9014A),A7 F2D/S7 4GC:NG,BMW 5er(G30),Z4(G29)Fr,TOYOTA GR SUPRA(DB)Fr										
		15(33)							BMW M2 Coupe(G87)Fr., M4 Competition(G82)Fr / M4 Competition(G82)Carbon Ceramic Brakes Fr										
	F2	45(29)		ηθ■▣▣⊙≡															
		40(34)		▼▽θη § ■▣▣# ▣▣▣αβ●★◇◆≡															
		35(39)		η▽▼θ■▣⊙# △□▲αβγ○●Ω★◇◆≡															
	F3	22(25)		ηθ■▣▣⊙▣▣αβ●◇◆≡															
		12(40)		η▽▼θ■▣▣⊙# ▣▣αβ●★◇◆≡															
	F1	55(35)		HONDA CIVIC TYPE-R(FK8/FL5)	1.02														
	F2	45(29)		BMW 3er.(F30)Rr, HONDA CIVIC TYPE-R(FK8/FL5)*	-														
		36(32)		HONDA CIVIC TYPE-R(FK8/FL5) *															
	19x10J	F4		15(31)	5	112			66.6				32-15	115,000	120,000	BMW M2 Coupe(G87)Rr., M4 Competition(G82)Rr / M4 Competition(G82)Carbon Ceramic Brakes Rr	-	-	1,797
		F3		30(35)		114.3			73.1						θη § ■▣▣▣αβ●◇◆≡				
34(31)			120	72.6		BMW M2(Competition 2U30)Rr,M2 Coupe(F87)Rr,M235i(F22)Rr,M235i Racing(F22)Rr													
40(26)			130	71.6		32-R14	120,000	PORSCHE CAYMAN 981 GT4 Rr,BOXSTER(981)Rr											
19x10.5J	F4	33(28)	5	112	66.6	32-15	116,000	121,000	BMW 5er.(G30)Rr, Z4(G29)Rr TOYOTA GR SUPRA(DB)Rr	-	-	1,797							
		30(31)		114.3	73.1				η▣⊙◆◆≡										
		22(28)							η▽▼θ■▣⊙# ▣▣αβ●★◇◆≡										
		15(38)							η▽▼θ■▣⊙# △□▲αβγ○●Ω☆★Σ◇◆≡										
	F3	47(24)	130	71.6	32-R14	PORSCHE CAYMAN 981 GT4 Rr,BOXSTER(981)Rr													

20x8.5J	F1	43(36)	5	108	73.1	32-15	161,000	171,000	VOLVO V60(FB420)	4.5	-	1,852			
		36(43)		112	66.6				AUDI RS3(8VCZGF/8VDAZL/GYDNWF)						
	F2	25(44)							BMW 530i(G30)Fr.	1					
	F1	45(34)		114.3	73.1				32-R14	171,000			181,000	η■▲⊙≡	4.5
		36(43)												▽▼θη■▲⊙#△▲□αβγ○●Ω★◇◆≡	
		45(34)		120	72.6									TOYOTA ALPHARD(AGH40W)	
		38(41)												PORSCHE 911CarreraS(991)Fr.,BOXSTER(981)Fr.,Cayman GT4(981DBX)Fr.	
		50(29)		130	71.6										
20x9J	F2	27(49)	5	112	66.6	32-15	163,000	173,000	AUDI S5(F5CWGL),S7(4GCEUL),Q5(FYDETS)BMW Z4 M40i(G29)Fr.BENZ AMG E43 4MATIC(W213),CLS450 4MATIC(C257)	1	-	1,852			
	F3	20(36)							PORSCHE Macan S(95BCTM(A))Fr.	-					
	F2	37(39)		114.3	73.1				▽▼θη■▲⊙#▲□αβ●◇◆≡	1					
		44(32)							LANDROVER DEFENDER(LE72WAB)						
		38(38)		120	72.6				TESLA MODEL X(Fr)						
	F3	22(34)		BMW M2 Competition(F87)Fr.,M4 Coupe(F82)Fr.LEXUS LC500h(GWZ100)Fr.	-										
	F1	55(31)		130	71.6	32-R14	173,000	183,000	PORSCHE Cayman GT4(981DBX)Fr.	4.5					
	F2	45(31)							PORSCHE Cayman GT4(981DBX)Fr*.	1					
20x9.5J	F3	25(37)	5	112	66.6	32-15	165,000	175,000	BMW Z4 M40i(G29)Fr.,330i(G20)Fr.,M4 Competition(G82)Fr.	-	-	1,852			
	F2	38(44)		114.3	73.1				▽▼θη■▲⊙#△▲□αβγ○●Ω★◇◆≡	1					
	F3	29(33)							120	72.6			η▲⊙●◇◆≡	-	
	F4	20(42)		BMW M2 Competition(F87)Fr.,M4 Coupe(F82)Fr.											
20x10J	F4	30(28)	5	114.3	73.1	32-15	167,000	177,000	η▲⊙●◇◆≡	-	-	1,852			
	F3	38(30)		120	72.6				TESLA MODEL X(Rr.)						
	F4	30(28)							TESLA MODEL X(5YJXDCE), BMW X6(F16)						
	F3	40(28)		130	71.6	32-R14	177,000	187,000	PORSCHE BOXSTER(981)Rr.						

20x10.5J	F4	32(33)	5	112	66.6	32-15	169,000	179,000	BMW Z4 M40i(G29)Rr.	-	-	1,852		
	F5	15(33)							BMW M4 Competition(G82)Rr.					
	F4	22(33)		114.3	73.1				▽▼θη■▲◎#△▲□αβγ○●Ω★◆◆≡					
		34(31)							120				72.6	BMW M2 Competition(F87)Rr.,M4 Coupe(F82)Rr.
		22(43)		LEXUS LC500h(GWZ100)Rr.										
	20x11J	F5		15(39)	5				112				66.6	32-15
28(26)			114.3	73.1		▽▼θη■▲◎#△▲□αβ●★◆◆≡								
F2		70(31)	130	71.6		32-R14	181,000	191,000	PORSCHE 911CarreraS(991)Rr.	1				
F3		50(31)							PORSCHE Cayman GT4(981DBX)Rr.	-				
20x12J		F4	48(36)	5		114.3	73.1	32-15	175,000	185,000	θη■▲◎#△▲□αβ●★◆◆≡	-	-	1,852
		F5	20(44)								▽▼θη■▲◎#△▲□αβγ○●Ω☆★Σ◆◆≡			
	F3	58(36)	130		71.6	32-R14	185,000	195,000	PORSCHE 911CarreraS(991)Rr	-				
									PORSCHE 911CarreraS(991)Rr*					

Caution

※PORSCHESIZE: can be used with OEM nuts and bolts, all sizes have 14mm nut/bolt hole (Drill $\phi 32-\phi 15$), all sizes are Porsche hubcentric.

※Hub Clearance listed with VR Center Cap Model-01 Low installed. High-type Center Caps add an extra 11mm clearance.

※* : Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

※15~18inch: 5H-P.C.D.108/112/120/130: Cannot fit Volvo XC90 (Plugin Hybrid), Mercedes (GL class, GLS Class, R550 4 Matic, R350 4 Matic, 2012- ML63 4 Matic, S550 Plugin Hybrid, V class (W447), GLE63S 4 Matic, GLE class (V167), EQC400, G class, Rolls Royce, Bentley, Maybach (57, 62, GLS600), BMW X5 (7 seater), X5 (F15), X5 PHV, X6 (Active Hybrid), X7, iX, iX3, Alpina XB7, Audi e-tron, Q7, Land Rover (5-120), Tesla (Model X), Toyota Century (GRG75).

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

§ : GR86/BRZ Brembo(ZN8/ZC8)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

⌵ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)

● : FAIRLADY Z (Z34, RZ34 ※except NISMO)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/ $\phi 380$ rotor)

◇ : GT-R (R35/ $\phi 380$, $\phi 390$ rotor)

▬ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.