



The title of Super Lap.

Spec

Product Name	TE37 SONIC SL
Size	15inch/16inch
Construction Method	Forged 1pc. Wheel
Safety Standards	JWL+R Spec 2
Color	Pressed Graphite (PG)
Included	Stickers No.58 INSIDE ALUMINUM AIR VALVE RAYS RD
Optional	※Optional Center Caps cannot be fitted this model.



Pressed Graphite (PG)

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE	CALIPER CLEARANCE	Load (lbs)
							PG COLOR		
15x5J	F0	45	4	100	65	29-15	57,000	-	1102
15x5.5J	F1	44	4	100	65	29-15	58,000	-	1102
15x6J	F2	41	4	100	65	29-15	59,000	-	1102
15x6.5J	F3	35	4	100	65	29-15	60,000	-	1102
15x7J	F4	34	4	100	65	29-15	61,000	-	1102
	F5	24							
16x5.5J	F1	44	4	100	65	29-15	61,000	-	1168
16x6J	F1	41	4	100	65	29-15	62,000	-	1168
16x6.5J	F1	44	4	100	65	29-15	63,000	-	1168
	F2	37							
16x7J	F2	47	4	100	65	29-15	64,000	-	1168
	F3	34							
	F4	24							
16x7.5J	F3	32	4	98	65	29-15	65,000	FIAT ABARTH500brembo, ABARTH595, ABARTH500e	1168
16x8J	F4	34	4	100	65	29-15	66,000	-	1168
		24						ψ	

Caution

※Center caps cannot be fitted with this model.

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

Θ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

⌵ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

≡ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo